

Cleanroom furniture

Product catalogue



Hygiene meets aesthetics.

Contents

Open cloakroom lockers for staff changing cubicles and staff airlocks	5-7
Staff lockers for staff changing cubicles and staff airlocks	8-14
Sit-over benches for staff airlocks	15-17
Removal and drop cabinets for staff airlocks	18-22
Furniture for cleanrooms	23-26
Accessories & equipment	27-30
Colours	31





Furniture made of HPL solid core material.

Our cleanroom furniture is made of HPL solid core material from all the well-known panel manufacturers such as Fundermax, Pfleiderer and Trespa.

High pressure laminate panels meet the highest requirements in the cleanroom sector and have outstanding product and environmental properties.

The panels consist of several layers of resinated cellulose sheets (core paper) or wood fibres, which are pressed under high pressure and at high temperature.

The high-quality panels are:

- Resistant to moisture
- Resistant to dirt
- Food-safe, hygienic and easy to clean
- Light-resistant
- Resistant to chemicals
- Resistant to abrasion, scratches and impacts
- Antistatic
- Heat-resistant



Design description of the furniture

- The body with base, lid, side panels, partitions and shelves are made of 13 mm thick material
- The rear wall is made of reinforced 8 mm material
- Fitting, plinth and top panels as well as the sloping roof are made of 13 mm thick HPL solid core material
- The body is screwed or glued, and visible screws are sealed with caps
- Insert shelves and shelving have a load-bearing capacity of at least 30 kg
- From a width of 800 mm, the compartment shelves are additionally reinforced with crossbars
- Adjustable all-metal hinges are available per door, number as required
- All doors have an additional close damper, and all insertion flaps have a soft-close function to prevent fingers from being trapped and to ensure silent functioning
- The doors have a stainless steel handle. To ensure optimal cleaning, fittings and hinges must not be visible from the outside
- Sloping roofs have a height of approx. 300 mm
- The height of the plinth construction depends on the requirements of the building project. If there are no specifications, a height of 100 mm is assumed. The plinth panels are smooth-surfaced to ensure optimum cleaning

Open cloakroom lockers
for staff changing cubicles and staff airlocks



Open cloakroom lockers
for staff changing cubicles and staff airlocks



Model	Model description	Dimensions	Possible equipment variants
	2-piece open cloakroom locker • 2 open compartments • Height-adjustable plinth feet • Plinth panel	Width 300 mm / 400 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel
	3-piece open cloakroom locker • 3 open compartments • Height-adjustable plinth feet • Plinth panel	Width 450 mm to 600 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel
	2-piece open cloakroom locker with 2 compartment shelves • 2 open compartments • 2 compartment shelves • Height-adjustable plinth feet • Plinth panel	Width 300 mm / 400 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Ceiling hook • Compartment shelf • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel
	Open cloakroom locker with stainless steel coat rail • Height-adjustable plinth feet • Plinth panel	Width 300 mm to 1.200 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Stainless steel or plastic hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel

Open cloakroom lockers
for staff changing cubicles and staff airlocks

Model	Model description	Dimensions	Possible equipment variants
	Open cloakroom locker with stainless steel coat rail and storage shelf • Height-adjustable plinth feet • Plinth panel	Width 300 mm to 1.200 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Stainless steel or plastic hangers • Stainless steel coat rail • Storage shelf • Compartment labelling • Sloping roof or top panel
	Hook rail • HPL base panel • Stainless steel hooks	Width 300 mm to 1800 mm Height 200 mm	• Numbering



Staff lockers

for staff changing cubicles and staff airlocks

schäfer[®]
Einrichtungssysteme





Hygiene meets aesthetics.

Staff lockers

for staff changing cubicles and staff airlocks




Model	Model description	Dimensions	Possible equipment variants
	Cloakroom locker • 1 door • Height-adjustable plinth feet • Plinth panel	Width 250 mm to 400 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Door with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	2-piece cloakroom locker • 2 doors • Height-adjustable plinth feet • Plinth panel	Width 500 mm to 800 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Doors with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	3-piece cloakroom locker • 3 doors • Height-adjustable plinth feet • Plinth panel	Width 750 mm to 1.200 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Door with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	Cloakroom locker with base frame • 1 door • Height-adjustable base frame • Plinth panel • Bench	Width 250 mm to 400 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	• Door with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air

Staff lockers

for staff changing cubicles and staff airlocks






Model	Model description	Dimensions	Possible equipment variants
	2-piece cloakroom locker with base frame • 2 doors • Height-adjustable base frame • Plinth panel • Bench	Width 500 mm to 800 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	• Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	3-teiliger Garderobenschrank • 3 Türen • Höhenverstellbares Untergestell • Sockelblende • Sitzbank	Width 750 mm to 1.200 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	• Doors with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	Garderobenschrank mit Glaseinsatz • 1 Tür mit Glaseinsatz • Höhenverstellbare Sockelfüße • Sockelblende	Width 750 mm to 1.200 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Door with stainless steel handle • Glass insert • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	Garderobenschrank mit Glaseinsatz und Untergestell • 1 Tür mit Glaseinsatz • Höhenverstellbares Untergestell • Sockelblende • Sitzbank	Width 300 mm to 500 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	• Door with stainless steel handle • Glass insert • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air

Staff lockers

for staff changing cubicles and staff airlocks




Model	Model description	Dimensions	Possible equipment variants
	Cloakroom locker in Z design • 2 doors • Height-adjustable plinth feet • Plinth panel	Width 300 mm to 400 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	• Doors with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	2-piece cloakroom locker in Z design • 4 doors • Height-adjustable plinth feet • Plinth panel	Width 600 mm to 800 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	• Doors with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	3-piece cloakroom locker in Z design • 6 doors • Height-adjustable plinth feet • Plinth panel	Width 900 mm to 1.200 mm Depth 500 mm / 600 mm Height incl. plinth	• Doors with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	Cloakroom locker in Z design with base frame • 2 doors • Height-adjustable base frame • Plinth panel • Bench	Width 250 mm to 400 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	• Doors with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air

Staff lockers



for staff changing cubicles and staff airlocks



Model	Model description	Dimensions	Possible equipment variants
	2-piece cloakroom locker in Z design with base frame • 4 doors • Height-adjustable base frame • Plinth panel • Bench	Width 600 mm to 800 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	• Doors with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	3-piece cloakroom locker in Z design with base frame • 6 doors • Height-adjustable base frame • Plinth panel • Bench	Width 900 mm to 1.200 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	• Doors with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	Cloakroom locker with 2 compartments • 2 doors • Height-adjustable plinth feet • Plinth panel	Width 300 mm to 400 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Doors with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	Cloakroom locker with 4 compartments • 4 doors • Height-adjustable plinth feet • Plinth panel	Width 500 mm to 800 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	• Doors with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air

Staff lockers
for staff changing cubicles and staff airlocks




Model	Model description	Dimensions	Possible equipment variants
	Cloakroom locker with 6 compartments • 6 doors • Height-adjustable plinth feet • Plinth panel	Width 750 mm to 1.200 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	• Doors with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	Cloakroom locker with 2 compartments and base frame • 2 doors • Height-adjustable base frame • Plinth panel • Bench	Width 300 mm to 400 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	• Doors with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	Cloakroom locker with 4 compartments and base frame • 4 doors • Height-adjustable base frame • Plinth panel • Bench	Width 500 mm to 800 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Doors with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air
	Cloakroom locker with 6 compartments and base frame • 6 doors • Height-adjustable base frame • Plinth panel • Bench	Width 750 mm to 1.200 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	• Doors with stainless steel handle • Storage shelf • Lockable • Ceiling hook • Removable hangers • Stainless steel coat rail • Compartment labelling • Sloping roof or top panel • Exhaust air

Staff lockers

for staff changing cubicles and staff airlocks






Model	Model description	Dimensions	Possible equipment variants
	Safe deposit box with 6 compartments - Height-adjustable plinth feet - Plinth panel	Width 300 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	- Doors with stainless steel handle - Lockable - Compartment labelling - Sloping roof or top panel
	Safe deposit box with 12 compartments - Height-adjustable plinth feet - Plinth panel	Width 600 mm Depth 500 mm / 600 mm Height 2.000 mm incl. base frame	- Doors with stainless steel handle - Lockable - Compartment labelling - Sloping roof or top panel
	Safe deposit box with 18 compartments - Height-adjustable plinth feet - Plinth panel	Width 900 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	- Doors with stainless steel handle - Lockable - Compartment labelling - Sloping roof or top panel

Sit-over benches
for staff airlocks



Sit-over benches
for staff airlocks



Model	Model description	Dimensions	Possible equipment variants
	Cube seat • Cube seat, completely closed • Plinth panel	Width 400 mm to 1.600 mm Depth 400 mm / 500 mm Height 500 mm incl. plinth	
	Bench • Seat surface made of HPL 26 mm • Round stainless steel feet	Width 600 mm to 1.200 mm Depth 400 mm / 500 mm Height 500 mm	
	Sit-over bench, one-sided • Plinth panel	Width 300 mm to 1.800 mm Depth 400 mm Height 500 mm bis 700 mm incl. plinth	• Two-row or three-row design • Compartment labelling
	Sit-over bench, two-sided • Plinth panel	Width 300 mm to 1.800 mm Depth 600 mm / 700 mm Height 500 mm bis 700 mm incl. plinth	• Two-row or three-row design • Compartment labelling

Sit-over benches
for staff airlocks


Model	Model description	Dimensions	Possible equipment variants
	Sit-over bench, folding • Plinth panel	Width Up to 1.200 mm Depth Up to 600 mm Height Individual	• Gas pressure spring • Side shoe compartments • Integrated waste chutes • Compartment labelling



Removal and drop cabinets for staff airlocks





Removal and drop cabinets
for staff airlocks



Model	Model description	Dimensions	Possible equipment variants
	Drop cabinet • Door with drop • Height-adjustable plinth feet • Plinth panel	Width 300 mm to 600 mm Depth 500 mm to 600 mm Height 1.000 mm incl. plinth	• Door with stainless steel handle • Drop cover with soft-close function • Wire basket, inside • Sloping roof
	Drop cabinet • Drop cover • 2 doors • Height-adjustable plinth feet • Plinth panel	Width 600 mm to 800 mm Depth 500 mm to 600 mm Height 1.000 mm incl. plinth	• Door with stainless steel handle • Drop cover with soft-close function • Wire basket, inside • Sloping roof
	1-piece locker with drop • Open shelves • Door with drop • Height-adjustable plinth feet • Plinth panel	Width 300 mm to 500 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Door with stainless steel handle • Drop cover with soft-close function • Wire basket, inside • Compartment labelling • Removal limiter • Sloping roof or top panel
	2-piece locker with drop • Open shelves • Door with drop • Height-adjustable plinth feet • Plinth panel	Width 600 mm to 800 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Door with stainless steel handle • Drop cover with soft-close function • Wire basket, inside • Compartment labelling • Removal limiter • Sloping roof or top panel

Removal and drop cabinets
for staff airlocks



Model	Model description	Dimensions	Possible equipment variants
	1-piece removal cabinet for overalls • Compartments with side removal limiter • Height-adjustable plinth feet • Plinth panel	Width 350 mm to 600 mm Depth 400 mm to 600 mm Height 2.000 mm incl. plinth	• Compartment labelling • Sloping roof or top panel • Various removal limiters
	2-piece removal cabinet for overalls • Compartments with side removal limiter • Height-adjustable plinth feet • Plinth panel	Width 700 mm to 800 mm Depth 400 mm / 600 mm Height 2.000 mm incl. plinth	• Compartment labelling • Sloping roof or top panel • Various removal limiters
	2-piece removal cabinet • Wall-mounted • Various removal limiters	Width 600 mm Depth 300 mm Height 900 mm	• Compartment labelling • Sloping roof or top panel • Various removal limiters
	Removal cabinet for caps, mouth and beard protection, overshoes • Wall-mounted • Front removal limiter	Width 300 mm Depth 300 mm Height 600 mm / 900 mm	• Compartment labelling • Sloping roof or top panel • Removal limiter fixed or removable

Removal and drop cabinets
for staff airlocks

Model	Model description	Dimensions	Possible equipment variants
	Removal cabinet for overalls • Wall-mounted • Front removal limiter	Width 600 mm Depth 300 mm Height 600 mm / 900 mm	• Compartment labelling • Sloping roof or top panel • Removal limiter as door or removable
	Removal cabinet for loose gloves, beard protection and head covers • Wall-mounted • Front removal limiter	Width 300 mm Depth 300 mm Height 600 mm / 900 mm	• Compartment labelling • Sloping roof or top panel • Removal limiter as door or removable
	Open shoe cabinet 6 to 12 shoe compartments • Height-adjustable feet • Plinth panel	Width 300 mm Depth 400 mm Height 2.000 mm incl. plinth	• Compartment labelling • Sloping roof or top panel
	Open 2-piece shoe cabinet 12 to 24 shoe compartments • Height-adjustable feet • Plinth panel	Width 600 mm Depth 400 mm Height 2.000 mm inkl. Sockel	• Compartment labelling • Sloping roof or top panel

Removal and drop cabinets
for staff airlocks

Model	Model description	Dimensions	Possible equipment variants
	Open 3-piece shoe cabinet 18 to 32 shoe compartments • Height-adjustable feet • Plinth panel	Width 900 mm Depth 400 mm Height 2.000 mm incl. plinth	• Compartment labelling • Sloping roof or top panel



Furniture
for cleanrooms




Hygiene meets aesthetics.

Model	Model description	Dimensions	Possible equipment variants
	Storage cabinet • 1 door • 4 fixed compartment shelves • Height-adjustable feet • Plinth panel	Width 300 mm to 600 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Doors with stainless steel handle • Adjustable compartment shelves • Lockable • Sloping roof or top panel • Exhaust air
	Storage cabinet • 2 doors • 4 fixed compartment shelves • Height-adjustable feet • Plinth panel	Width 700 mm to 1.200 mm Depth 500 mm / 600 mm Height 2.000 mm incl. plinth	• Doors with stainless steel handle • Adjustable compartment shelves • Lockable • Reinforced compartment shelves from 800 mm length • Sloping roof or top panel • Exhaust air
	Base cabinet • 1 door • 1 compartment shelf • Height-adjustable feet • Plinth panel	Width 300 mm to 600 mm Depth 500 mm / 600 mm Height 750 mm / 900 mm incl. plinth	• Doors with stainless steel handle • Adjustable compartment shelf possible • Lockable
	Base cabinet • 1 door • 1 drawer • 1 compartment shelf • Height-adjustable feet • Plinth panel	Width 300 mm to 600 mm Depth 500 mm / 600 mm Height 750 mm / 900 mm incl. plinth	• Doors with stainless steel handle • Adjustable compartment shelf possible • Lockable • Full pull-outs • Without plinth with cleanroom-compatible castors


Furniture
for cleanrooms



Model	Model description	Dimensions	Possible equipment variants
	Base cabinet • 3 drawers • Height-adjustable feet • Plinth panel	Width 300 mm to 600 mm Depth 500 mm / 600 mm Height 750 mm / 900 mm incl. plinth	• Drawers with stainless steel handle • Lockable • Full pull-outs • Exchangeable pull-out stop • Without plinth with cleanroom-compatible castors
	Base cabinet • 2 doors • 1 compartment shelf • Height-adjustable feet • Plinth panel	Width 800 mm to 1.200 mm Depth 500 mm / 600 mm Height 750 mm / 900 mm incl. plinth	• Doors with stainless steel handle • Adjustable compartment shelf possible • Lockable • Reinforced compartment shelves
	Base cabinet • 2 doors • 2 drawers • 1 compartment shelf • Height-adjustable feet • Plinth panel	Width 800 mm to 1.200 mm Depth 500 mm / 600 mm Height 750 mm / 900 mm incl. plinth	• Doors with stainless steel handle • Adjustable compartment shelf possible • Lockable • Reinforced compartment shelves • Full pull-outs
	Base cabinet • 3 doors • Permanently fitted centre panels • 1 compartment shelf • Height-adjustable feet • Plinth panel	Width 1.500 mm Depth 500 mm / 600 mm Height 750 mm / 900 mm incl. plinth	• Doors with stainless steel handle • Adjustable compartment shelf possible • Lockable

Furniture
for cleanrooms







Model	Model description	Dimensions	Possible equipment variants
	Wall cabinet • 2 doors • Permanently fitted centre panels • 1 compartment shelf	Width 800 mm Depth 500 mm Height 600 mm	• Doors with stainless steel handle • Adjustable compartment shelf possible • Lockable
	Washstand • 1 door • Washbasin • 1 compartment shelf	Width 500 mm / 600 mm Depth 500 mm / 600 mm Height 900 mm incl. plinth	• Doors with stainless steel handle • Stainless steel basins • Solid surface basin • Touchless tap • Rear backsplash • Drop cover • Accessories such as soap dispenser, disinfectant dispenser, paper dispenser, mirror
	Washstand • 3 doors • 1 drop cover • Wire basket, inside • Washbasin • 1 compartment shelf	Width 1.500 mm / 1.800 mm Depth 500 mm / 600 mm Height 900 mm incl. plinth	• Doors with stainless steel handle • Stainless steel basins • Solid surface basin • Touchless tap • Rear backsplash • Accessories such as soap dispenser, disinfectant dispenser, paper dispenser, mirror
	Cleanroom table • Table top made of HPL • Stainless steel table frame • 3-sided bracing at the bottom • Open at the front • Height-adjustable feet	Width 800 mm to 2.000 mm Depth 500 mm to 800 mm Height 750 mm / 900 mm	• Table tops available in various thicknesses



Accessories & equipment

Examples

- 1 Highly stable stainless steel door stop. The damper reduces the noise level. The doors are equipped with concealed, maintenance-free stainless steel hinges
- 2 Door with concealed hinges and automatic closing mechanism
- 3 Cabinet equipment optionally with clothes rail, rotating triple hook or removable hanger
- 4 Interior equipment and compartment partitioning can be varied according to customer requirements




- 5 Exhaust air variants
- 6 Numbering as standard for all locker types. Silver-coloured plastic number plates with black engraving. Optionally available in aluminium or stainless steel
- 7 Engraving completely milled
- 8 Mechanical, electronic or PIN lock solutions available

Accessories & equipment




Cloakroom lockers



Design

- Highly variable cabinet partitioning
- Single or double lockers
- Multiple lockers
- Z lockers
- Helmet and valuables compartments
- Sizes and arrangements are individually adapted to the room situation

Staff lockers in black and white



Design


- Available in various designs
- Centre partition in the cabinet compartment separates street clothes from work clothes, for example
- Centre partition also available as a movable variant




Installation options	Design
Two technical drawings showing locker installation options. Drawing 1 shows a locker mounted on a wall with a height dimension of 1900 mm and a base height of 100 mm. Drawing 2 shows a locker mounted on a wall with a height dimension of 1900 mm, a base height of 100 mm, and a width dimension of 500 mm. Both drawings show the locker door open.	The installation options also depend on the structural situation: 1 Assembly on plinth, plinth height 100 mm 2 Assembly on aluminium frame with bench in front and plinth panel, panel height 450 mm
Roof variants	Design
Three technical drawings showing locker roof variants. The first drawing shows a locker with a sloping roof. The second drawing shows a locker with a flat roof. The third drawing shows a locker with a gabled roof. All drawings show the locker door open.	Assembly with sloping roof or with facing up to lower edge of ceiling

Colours

Panel finishes:



0085
Weiß



0741
Birkengrau



0077
Graphitgrau




0212
Sonnengelb




0013
Minola



0067
Rot



0630
Seegrün



0718
Arktis



0023
Lamar



2206
Fango

We are happy to supply special colours for panel finishes according to your wishes.
Colour deviations from the original are possible.

